

**IN THE UNITED STATES PATENT & TRADEMARK OFFICE**

ATTORNEY DOCKET NUMBER: 10019603-1

IN RE APPLICATION OF: U.S. Patent No. 7,161,719

USPTO CONFIRMATION CODE: 9602

APPLICATION NO.: 09/964,167

FILED: Sep. 26, 2001

EXAMINER: Kimberly Williams

GROUP ART UNIT: 2625

FOR: GENERALIZED COLOR CALIBRATION ARCHITECTURE AND METHOD

**37 CFR 1.322 & 37 CFR 1.323 REQUEST FOR CERTIFICATE OF CORRECTION**

HONORABLE COMMISSIONER OF PATENTS & TRADEMARKS

Sir:

The following is a request for a certificate of correction in Serial Number 09/964,167, now Patent Number 7,161,719.

A certificate of correction under 35 USC 254 is respectfully requested in the above-identified patent.

☒ All errors were the fault of the USPTO, no fee required. In the event that a further fee is required, please charge the amount to Deposit Account No. 082025.

☐ All errors were the fault of the applicant and, accordingly, please charge **\$100.00** to our Deposit Account No. 082025. In the event that a further fee is required, please charge the amount to the same Deposit Account.

☐ The errors were the fault of both the applicant and USPTO and, accordingly, please charge **\$100.00** to our Deposit Account No. 082025. In the event that a further fee is required, please charge the amount to the same Deposit Account.

The exact locations where the errors appear in the patent and patent application are as follows:

In column 1, line 59, delete “calorimeters,” and insert - - colorimeters, - -, therefor.

(Specification filed on Sep. 26, 2001, page 2, line 17)

In column 4, lines 25-26, delete “calorimeters,” and insert - - colorimeters, - -, therefor.

(Specification filed on Sep. 26, 2001, page 7, line 8)

In column 4, line 33, delete “calorimeter” and insert - - colorimeter - -, therefor.

(Specification filed on Sep. 26, 2001, page 7, line 14)

In column 8, line 45, in Claim 1, insert - - color - - before “calibration”.

(Amendment to claims filed on Jul. 14, 2006, page 2, in Claim 1, line 22)

The requested corrections are attached on Form PTO 1050.

Respectfully Submitted

October 8, 2008

DATE

/Robert D. Wasson/

Name: Robert D. Wasson

Registration No.: 40,218

Attorney/Agent of Record

HEWLETT-PACKARD COMPANY

Intellectual Property Administration

P.O. Box 272400

Fort Collins, Colorado 80527-2400

**UNITED STATES PATENT AND TRADEMARK OFFICE**  
**CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,161,719  
APPLICATION NO. : 09/964,167  
ISSUE DATE : Jan. 09, 2007  
INVENTOR(S) : Yifeng Wu, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 1, line 59, delete "calorimeters," and insert - - colorimeters, - -, therefore.

In column 4, lines 25-26, delete "calorimeters," and insert - - colorimeters, - -, therefore.

In column 4, line 33, delete "calorimeter" and insert - - colorimeter - -, therefore.

In column 8, line 45, in Claim 1, insert - - color - - before "calibration".

**MAILING ADDRESS OF SENDER (Please do not use customer number below):**

**HEWLETT-PACKARD COMPANY**  
Intellectual Property Administration  
P. O. Box 272400  
Fort Collins, Colorado 80527-2400

This collection of information is required by 37 CFR 1.322, and 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patent, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*